

## WEBB ZIESENHEIM LOGSDON ORKIN &amp; HANSON, P.C.

700 KOPPERS BUILDING

436 SEVENTH AVENUE

PITTSBURGH, PA 15219-1818

TELEPHONE 412-471-8815

FAX 412-471-4094

E-MAIL [webblaw@webblaw.com](mailto:webblaw@webblaw.com)

PATENT, TRADEMARK &amp; COPYRIGHT LAW

WILLIAM H. LOGSDON  
 RUSSELL D. ORKIN  
 DAVID C. HANSON  
 FREDERICK B. ZIESENHEIM  
 RICHARD L. BYRNE  
 KENT E. BALDAUF  
 BARBARA E. JOHNSON  
 PAUL M. REZNICK  
 JOHN W. MCILVAINE III  
 JULIE W. MEDER  
 LESTER N. FORTNEY  
 RANDALL A. NOTZEN  
 KENT E. BALDAUF, JR.  
 KIRK M. MILES

OF COUNSEL  
 DONALD C. LEPIANE

WILLIAM H. WEBB (1929-1997)

JAMES G. PORCELLI  
 CHRISTIAN E. SCHUSTER  
 NATHAN J. PREPELKA  
 JESSICA M. SCHROTTI  
 J. MATTHEW PRITCHARD IV  
 DARRELL E. WILLIAMS  
 ALKA A. PATEL  
 PHILIP J. FORET  
 PATRICIA A. OLOSKY  
 ALEXANDER DETSCHELT  
 GWENDOLYN R. ACKER WOOD

PATENT AGENTS  
 GARY F. MATZ  
 JAMES J. BOSCO, JR.

FACSIMILE TRANSMITTAL

Page 1 of 5

November 5, 2003

FACSIMILE NO. 703-746-4899

Mr. John Calvert, Supervisory Primary Examiner  
 United States Patent and Trademark Office  
 P. O. Box 1450  
 Alexandria, VA 22313-1450

Re: U.S. Patent Application No. 09/936,275, entitled "Clothes Hanger"  
Attorney Docket No. 115-011459

Dear Mr. Calvert:

We thank you again for conducting an impromptu interview on October 16, 2003 in connection with the above-identified patent application. As you will recall, in that interview we discussed the novel aspects of the present invention and the distinguishing features over the prior art cited in the previous Office Action. At that time you indicated that the claim set should be modified to better define the present invention in view of the prior art, in that the divergently extending angles of the threads, which is illustrated in the figures of the present invention and is typical of a hanger orientation, should be explicitly set forth in the independent claims of the present application, especially in view of the Lin patent.

Accordingly, please find attached a modified claim set including claims that correspond to the above arguments and structural definitions. We believe that it will be much easier to cancel the present set of claims and add new claims that find full support in the specification, and therefore, please find attached proposed new claims 32-51, with claims 32-43 directed to a hook for a hanger and claims 44-51 directed to a clothes hanger. We hope that the attached set of claims will meet with your approval.

{W0089522.1}

STATEMENT OF CONFIDENTIALITY

The information in this facsimile is privileged and confidential and is intended only for the use of the named recipient. Disclosure or copying of this document or its contents other than by the named recipient is prohibited. If this document is received in error, it should be returned to sender.

If there are any reception problems, please call 412-471-8815.

Received from <412 471 4094> at 11/5/03 3:51:21 PM [Eastern Standard Time]

WEBB ZIESENHEIM LOGSDON ORKIN &amp; HANSON, P.C.

Examiner John Calvert

-2-

November 5, 2003

After you have had a chance to review the proposed set of claims, please let us know how we should proceed in this matter. Of course, we are prepared to submit a Supplemental Amendment canceling the previous set of claims and adding the proposed set of claims as set forth herein. Alternatively, if you think it would be easier to accomplish this via an Examiner's Amendment, please advise. In any case, we look forward to receiving your reaction to and approval of the proposed claim set.

You may call Nate Prepelka or me.

Very truly yours,



William H. Logsdon

WHL:NJP/lcs  
Attachment

**Proposed claim set following interview with Examiner (Our new file 011450)**

---

32. A hook for a hanger, comprising a fastening part including a plurality of recesses positioned therein, wherein at least one of the plurality of recesses includes threads therein, wherein the hook extends along a vertical axis, thereby defining a horizontal axis disposed at a 90 degree angle therefrom and wherein the recesses extend at an angle divergent from the horizontal axis and the threads are configured to receive corresponding threads on a beverage bottle container.

33. The hook of claim 32, wherein the threads of the recess are formed directly on an interior portion of the recess of the fastening part.

34. The hook of claim 32, wherein the threads of the recess are formed by threads of a cap of a beverage bottle container fastened within the recess.

35. The hook of claim 34, wherein the cap is fastened within the recess by locking the cap within the recess.

36. The hook of claim 34, wherein the cap is fastened within the recess by latching the cap within the recess.

37. The hook of claim 34, wherein the cap is fastened within the recess by adhering the cap within the recess.

**Proposed claim set following interview with Examiner (Our new file 011450)**

38. The hook of claim 34, wherein the cap is fastened within the recess by welding the cap in the recess.

39. The hook of claim 32, further comprising a beverage bottle container detachably fastened to the fastening part of the hook.

40. The hook of claim 39, wherein the beverage bottle container is plastic.

41. The hook of claim 32, wherein the fastening part is located on a lower end of the hook.

42. The hook of claim 32, wherein the hook is manufactured in the form of a plastic injection molded part.

43. The hook of claim 32, wherein at least a portion of the hook is manufactured from at least one of wood and wire.

44. A clothes hanger, comprising a hook and two arms projecting from the hook, wherein the arms are each formed by a beverage bottle container having a threaded mouth, the hook extending along a vertical axis, thereby defining a horizontal axis disposed 90 degrees therefrom, and the hook comprising a fastening part including a plurality of recesses positioned therein, wherein at least one of the plurality of recesses includes threads therein, wherein the

**Proposed claim set following interview with Examiner (Our new file 011450)**

---

recesses extend at an angle divergent from the horizontal axis and the threads are configured to receive the threaded mouth of the beverage bottle container.

45. The hook of claim 44, wherein the threads of the recess are formed directly on an interior portion of the recess of the fastening part.

46. The hook of claim 44, wherein the threads of the recess are formed by threads of a cap of a beverage bottle container fastened within the recess.

47. The hook of claim 46, wherein the cap is fastened within the recess by at least one of (i) locking the cap within the recess; (ii) latching the cap within the recess; (iii) adhering the cap within the recess; and (iv) welding the cap in the recess.

48. The hook of claim 44, wherein the beverage bottle container is detachably fastened to the fastening part of the hook.

49. The hook of claim 44, wherein the beverage bottle containers are plastic.

50. The hook of claim 44, wherein the hook is manufactured in the form of a plastic injection molded part.

51. The hook of claim 44, wherein at least a portion of the hook is manufactured from at least one of wood and wire.

{W0086160.1}